

Changing the logname with sudo

If you use sudo and RCS, the

\$Author: carlos \$ and \$Id: 20040517-newsletter.xml,v 1.2 2004/05/31 00:11:04 carlos Exp \$
RCS tags always appear as root instead of the actual person that edited the file. It's possible to compare file modification times with sudo log entries, but that's tedious. There's a much simpler way using sudo options.

Edit /etc/sudoers with visudo and add the following line:

Code Listing 1

```
Defaults>root !set_logname
```

This tells sudo not to change the logname to root, but to use the existing username. Now, RCS tags will show the real author.

<http://www.gentoo.org/news/en/gwn/20040517-newsletter.xml>

```
image:rdf newsfeed / //static.linuxhowtos.org/data/rdf.png (null)
|
image:rss newsfeed / //static.linuxhowtos.org/data/rss.png (null)
|
image:Atom newsfeed / //static.linuxhowtos.org/data/atom.png (null)
- Powered by
image:LeopardCMS / //static.linuxhowtos.org/data/leopardcms.png (null)
- Running on
image:Gentoo / //static.linuxhowtos.org/data/gentoo.png (null)
-
Copyright 2004-2020 Sascha Nitsch Unternehmensberatung GmbH
image:Valid XHTML1.1 / //static.linuxhowtos.org/data/xhtml1.png (null)
:
image:Valid CSS / //static.linuxhowtos.org/data/css.png (null)
:
image:buttonmaker / //static.linuxhowtos.org/data/buttonmaker.png (null)
- Level Triple-A Conformance to Web Content Accessibility Guidelines 1.0 -
- Copyright and legal notices -
Time to create this page: ms
<!--
image:system status display / /status/output.jpg (null)
-->
bodyloaded();
```