

## 7. Using Named Buffers

It is possible to copy or delete text from any file to a named buffer, and to keep as many as 26 of those buffers around for convenience. Buffers are created using lower case single letters. Using upper case letter means append to the existing buffer. The command beginning buffer operation is " (double quotation mark). Following it is the name of the buffer and then description of the operation to be performed:

```
"ay}      - yank (copy) from cursor to end of paragraph into buffer "a".
           If buffer exists, overwrite it.

"A12d     - delete 12 lines from cursor down and append it to the
           existing buffer "a".

"ap       - take contents of buffer "a" and paste it below cursor line.
```

Notice that lower case name for a buffer causes it to be created every time a command is issued.

```
/* The article above and any accompanying files are freely
 * distributable, but please leave this notice and the text intact.
 * Home for this document: http://www.infobound.com/vi.html
 * Copyright (C) 1994, 1999 Tony Thomas
 * Contact author through email:tony@infobound.com
 * Last revision Feb 23, 1999
 * UNIX is a trademark of X/Open
 */
```

current rating:

Support this site

image:rdf newsfeed / //static.linuxhowtos.org/data/rdf.png (null)

|

image:rss newsfeed / //static.linuxhowtos.org/data/rss.png (null)

|

image:Atom newsfeed / //static.linuxhowtos.org/data/atom.png (null)

- Powered by

image:LeopardCMS / //static.linuxhowtos.org/data/leopardcms.png (null)

- Running on

image:Gentoo / //static.linuxhowtos.org/data/gentoo.png (null)

-

Copyright 2004-2020 Sascha Nitsch Unternehmensberatung GmbH

image:Valid XHTML1.1 //static.linuxhowtos.org/data/xhtml.png (null)  
:  
image:Valid CSS //static.linuxhowtos.org/data/css.png (null)  
:  
image:buttonmaker //static.linuxhowtos.org/data/buttonmaker.png (null)  
- Level Triple-A Conformance to Web Content Accessibility Guidelines 1.0 -  
- Copyright and legal notices -  
Time to create this page: ms  
<!--  
image:system status display /status/output.jpg (null)  
-->  
bodyloaded();